


JVC

SERVICE MANUAL

COMPUTER CONTROLLED
S.E.A. GRAPHIC EQUALIZER

MODEL SEA-M9B



Contents

| | | | |
|---|------|--|---------------------------|
| Safety Precautions | 1-1 | 7. Troubleshooting | |
| 1. Specifications | 1-2 | 7-(1) General Operations | 1-16 |
| 2. Names of Parts and Their Functions | 1-3 | 7-(2) Drawer | 1-19 |
| 3. Explanation of Technology | | 7-(3) 8-bit Microcomputer Peripheral Check | 1-20 |
| 3-(1) Automatic Compensation | | 7-(4) Checking the Power Supply | 1-21 |
| for Room Acoustics | 1-5 | 8. Block Diagram | Insertion |
| 3-(2) ICs developed for SEA (LM835) | 1-7 | 9. Schematic Diagram | |
| 3-(3) Pink Noise | 1-7 | 9-(1) Overall Connection Diagram | Insertion |
| 3-(4) Membrane Switch PCB | 1-7 | 9-(2) Switch PCB | Insertion |
| 3-(5) FL Circuit | 1-8 | 9-(3) SEA Amplifier PCB | Insertion |
| 3-(6) Drawer Motor Drive Circuit | 1-8 | 9-(4) Main CPU PCB (1) | Insertion |
| 4. Removal Procedures | 1-9 | 9-(5) Main CPU PCB (2) | Insertion |
| 5. Exploded View | 1-12 | 9-(6) FL PCB | Insertion |
| 6. Adjustment Procedures | | 9-(7) Membrane Switch PCB | Insertion |
| 6-(1) Distortion Adjustment (20 kHz) | 1-14 | 9-(8) Discription of Power Supply Section | |
| 6-(2) FL Illumination Adjustment | 1-14 | & Semiconductors Used | Insertion |
| 6-(3) Display Level Adjustment | 1-15 | Parts List' | Separate-Volume Insertion |

MEMO

*This scanned document is not for sale. It may only be distributed freely.
If you were charged for its download, it has been stolen, and sold without the author's permission.
Demand a refund.*

Safety Precautions

1. The design of this product contains special hardware, many circuits and components specially for safety purposes.

For continued protection, no changes should be made to the original design unless authorized in writing by the manufacturer. Replacement parts must be identical to those used in the original circuits. Service should be performed by qualified personnel only.

2. Alterations of the design or circuitry of the product should not be made. Any design alterations or additions will void the manufacturer's warranty and will further relieve the manufacturer of responsibility for personal injury or property damage resulting therefrom.
3. Many electrical and mechanical parts in the product have special safety-related characteristics. These characteristics are often not evident from visual inspection nor can the protection afforded by them necessarily be obtained by using replacement components rated for higher voltage, wattage, etc. Replacement parts which have these special safety characteristics are identified in the parts list of Service manual. Electrical components having such features are identified by shading on the schematics and by (Δ) on the parts list in Service manual. The use of a substitute replacement which does not have the same safety characteristics as the recommended replacement part shown in the parts list in Service manual may create shock, fire, or other hazards.
4. The leads in the products are routed and dressed with ties, clamps, tubings, barriers and/or the like to be separated from live parts, high temperature parts, moving parts and/or sharp edges for the prevention of electric shock and fire hazard.

When service is required, the original lead routing and dress should be observed, and they should be confirmed to be returned to normal, after re-assembling.

5. Leakage current check

(Safety for electrical shock hazard)

After re-assembling the product, always perform an isolation check on the exposed metal parts of the Products (antenna terminals, knobs, metal cabinet, screw heads, earphone jack, control shafts, etc.) to be sure the product is safe to operate without danger of electrical shock.


Do not use a line isolation transformer during this check.

- Plug the AC line cord directly into the AC outlet. Using a "Leakage Current Tester", measure the leakage current from each exposed metal part of the cabinet, particularly any exposed metal part having a return path to the chassis, to a known good earth ground (water pipe, etc.). Any leakage current must not exceed 0.5 mA AC (r.m.s.).

- Alternate check method

Plug the AC line cord directly into the AC outlet. Use an AC voltmeter having 1,000 ohms per volt or more sensitivity in the following manner. Connect a 1500 Ω 10 W resistor paralleled by a 0.15 μ F AC-type capacitor between an exposed metal part and a known good earth ground (water pipe, etc.). Measure the AC voltage across the resistor with the AC voltmeter.

Move the resistor connection to each exposed metal part, particularly any exposed metal part having a return path to the chassis, and measure the AC voltage across the resistor. Now, reverse the plug in the AC outlet and repeat each measurement. Any voltage measured must not exceed 0.75 V AC (r.m.s.). This corresponds to 0.5 mA AC (r.m.s.).



CHECKING YOUR LINE VOLTAGE (Except for U.S.A., Canada, Australia, U.K. and Continental Europe.)

Before inserting the power plug, please check this setting to see that it corresponds with the line voltage in your area. If it doesn't, be sure to adjust the voltage selector switch to the proper setting before operating this equipment. The voltage selector switch is located on the rear panel.

CAUTION Before selecting the "Voltage selector switch" to proper voltage disconnect the power plug.

1. Specifications

Input section

SEA INPUT : Input impedance 47 kohms
 TAPE-1 : Input impedance 47 kohms
 TAPE-2 : Input impedance 47 kohms

Output section

SEA OUTPUT : Output impedance 100 ohms
 TAPE REC : Output impedance
 (SEA REC) 100 ohms

Rated output : 2 V RMS (SEA SYSTEM
 FLAT)

Max. output : 5 V RMS
 (SEA SYSTEM FLAT)

Total harmonic distortion : 0.003 % (20 Hz – 20 kHz,
 rated output)

Intermodulation distortion : 0.003 % (SEA SYSTEM
 FLAT)

Gain : SEA DEFEAT 0 dB
 SEA ON 0 dB
 ATTENUATOR ON -6 dB

Frequency response : 10 Hz – 100 kHz (+0, -2 dB)

S/N ratio : 118 dB (at rated output, IHF
 A-network short-circuited)

Control section

SEA center frequency : 16 Hz, 31.5 Hz, 63 Hz,
 125 Hz, 250 Hz, 500 Hz,
 1 kHz, 2 kHz, 4 kHz, 8 kHz,
 16 kHz, 32 kHz

Pink noise section

Output : 35 mV

Microphone amplifier section

Matching microphone
 sensitivity : More than -72 dB

Matching microphone

Output impedance : Less than 1 kohm

General

Dimensions (W x H x D) : 435 x 149 x 377 mm

Weight : 10 kg net (excluding carton)


Accessories : Connection cord
 (1.2 m) 2
 Condenser microphone
 MU-M9 1
 Microphone holder 1
 Battery R-6/AA/UM-3 1

Design and specifications subject to change without notice.

POWER SPECIFICATIONS

| | U.S.A. & Canada | Europe, U.K. & Australia | Other area |
|-----------------------|-------------------------|--|---|
| Power Supply | AC 120 V \sim , 60 Hz | AC 110/120/220/240 V \sim selectable, 50 Hz | AC 110/120/220/240 V \sim selectable, 50/60 Hz |
| Power Consumption | 35 watts | 40 watts | 40 watts |
| Power Outlets | Fitted | Not fitted | Fitted |
| Line Voltage Selector | Not fitted | Fitted | Fitted |

2. Names of Parts and Their Functions



1 DISPLAY

Shows the audio spectrum, SEA level and SEA compensation level (for compensation of room acoustic, etc.).

SPECTRUM ANALYZER display: The output signals are analyzed for 12 frequency bands whose center frequencies are identical to those of the 12 S.E.A. controls. This indicator shows the output signal level for each frequency band. When connecting a microphone to the MIC jack, the sound picked up by the microphone is shown by the SPECTRUM ANALYZER display.

SEA LEVEL display: Shows the SEA level when the SPECTRUM ANALYZER/SEA LEVEL button 14 is pressed. Either of the two LEDs above this button lights to show which display is being shown.

SEA compensated level display: The SEA compensated level is shown after automatic room acoustic analysis and compensation.

2 INDICATOR

COMPUTER OPERATION: Flashes during automatic room acoustic analysis and compensation.

HIGH FREQUENCY ROLL OFF: Lights when the HIGH FREQUENCY ROLL OFF button is pressed to ON.

CONTROL RANGE & SYNCHRO CONTROL: CONTROL RANGE ± 6 dB or ± 12 dB and SYNCHRO CONTROL ON or OFF are shown.

3 POWER button

ON (—): Press to turn the power on. After about 5 seconds this unit starts to operate.

STAND BY (■): Set to this position to turn the power off.

Note:

- Even when the POWER button is off, this unit consumes a small amount of electricity (0.1 watt) to maintain the memory data.

4 HIGH FREQUENCY ROLL OFF button

ON (—): Press to this position to attenuate the frequency response from 4 kHz and over smoothly (-3 dB/oct).

OFF (■): Normally set to this position.

5 ATTENUATOR button

-6 dB (—): Press this button to this position to attenuate the input level when performing live recording of a performance with a wide dynamic range or playing a tape with a high recording/playback level.

0 dB (■): Normally set to this position.

6 SEA button

DEFEAT (—): To bypass the SEA circuit.

ON (■): Set to this position to listen to SEA-compensated signals.

7 SEA REC button

ON (—): Set to this position to record SEA-compensated signals.

OFF (■): Set to this position to record tapes by-passing the SEA circuit.

8 RECORDING SELECTOR

SOURCE: Press this to record the source connected to the LINE IN terminals.

1 ► 2: Press this to dub from TAPE-1 to TAPE-2.

2 ► 1: Press this to dub from TAPE-2 to TAPE-1.

OFF: Press this when not recording.

9 LINE OUT SELECTOR

SOURCE: Press this to play the source connected to the LINE IN terminals.

TAPE-1: Press this to play TAPE-1 deck.

TAPE-2: Press this to play TAPE-2 deck.

REC SIGNAL: Press this to monitor the recording of the source selected with the RECORDING SELECTOR.

10 MIC jack**11 SLOW/FAST button**

Use to select the fast or slow response time of the SPECTRUM ANALYZER indicator.

12 PEAK HOLD button

When the SPECTRUM ANALYZER indicator is shown and this button is pressed, peak values are shown and held. When a signal higher than the one shown is input, the indication changes to the higher level.

13 STILL-MEMORY button

Press to set to on to hold the SPECTRUM ANALYZER display; the LED above this button lights.

14 SPECTRUM ANALYZER/SEA LEVEL button

Press to select the SPECTRUM ANALYZER display or SEA LEVEL display.

15 A.B.C.D.E. buttons (5-preset memory system)

5 SEA frequency patterns adjusted separately for left and right channels can be stored in memory.

To store an SEA pattern, first press the MEMORY button (7) then one of these buttons A – E.

To recall the pattern stored in memory, press one of the buttons A – E as required.

16 FLAT button

Press this button to make the SEA frequency response flat. The indicator above this button lights.

17 OPEN/CLOSE button

Press to move the drawer in and out.

18 SEA UP/DOWN buttons

The SEA-M9B graphic equalizer divides the audio spectrum from 16 Hz to 32 kHz into 12 frequency bands having center frequencies at intervals of one octave.

The response in each band can be varied by $\pm 12/\pm 6$ dB (selected by CONTROL RANGE button), by scanning using the UP and DOWN buttons.

16 Hz: This frequency range is felt rather than heard. Effective in reducing very low frequency noise and intermodulation distortion caused by record surface warps. Lowering this band obtains the same effect as a sub-sonic filter.

31.5 Hz: Reproduce the very low bass sound by raising the band obtaining that solid and substantial "being-there" feeling. When lowered, it functions as low-cut filter and eliminates hum and rumble.

63 Hz: Raise to emphasize the very low bass response of organs, drums, and contrabass. It produces stable and solid sound by raising the band and eliminates the unclear sound response of low frequencies by lowering the band.

125 Hz: Raise the band to obtain a more expanded low sound. Lower the band to eliminate unclear sound caused by large spaces in listening rooms.

250 Hz: Lower the band to reduce the reflected sound in a live listening room or to eliminate unclear sound caused in small listening rooms.

500 Hz: This frequency range is the base on which music is constructed. Raise this band to really put a punch in your music.

1 kHz: Most effective in emphasizing or de-emphasizing the human voice. Raise the band to cause the vocalist to be brought to the foreground, or lower for causing it to recede into the background.

2 kHz: This frequency stimulates the human ear. If the music sounds hard or metallic, lower the band.

4 kHz: Raise this band slightly so that the tension of strings can be sensed and a vigorous sound reproduction can be obtained. Lower the band to obtain more fatigue-free listening.

8 kHz: Boost to add clarity to winds and strings. This band varies the tonal expression, influencing the subtleties of the music.

16 kHz: Boosting this frequency range properly adds to the delicacy of highs, with cymbals and triangles resounding in a more ear-pleasing manner, and provides a feeling of extension. This band can also be used to compensate for cartridge response since most moving magnet cartridges have their resonance peaks in the frequency range from 10 kHz to 20 kHz.

32 kHz: High frequencies exceeding audible frequency range. Use this band to control extremely delicate sound or to cut unnecessary super-high sound.

19 SYNCHRO CONTROL button

Press this button to ON so that the SEA levels of both channels can be controlled by pressing the SEA UP/DOWN buttons of either channel; the LED indicator lights.

20 DISPLAY LEVEL UP/DOWN buttons**21 MIC button**

Press this button to ON to check the room acoustic with a microphone or to observe the spectrum of an instrumental, vocal, etc.; the LED indicator lights. The spectrum indication is shown for the left channel and an arrow (\leftarrow) for the right channel. (Mic mixing is impossible because the sound from the microphone does not come out from the speakers.)

22 PINK NOISE buttons

L: To output the pink noise from the left speaker.

R: To output the pink noise from the right speaker.

23 PINK NOISE LEVEL indicator**24 START button**

Press to start the analysis for automatic compensation.

25 ERROR indicator**26 RESET button**

To stop the automatic compensation in the middle of processing.

27 MEMORY button

Press to store the SEA frequency response pattern in memory before pressing one of the 5-preset memory system buttons; the indicator LED in the button lights.

28 CONTROL RANGE button

Press to select the SEA range (± 6 or ± 12 dB).


29 REVERSE button

Press to reverse the SEA frequency response by a single operation; the indicator LED in the button lights momentarily.

3. Explanation of Technology

3-(1) Automatic Compensation for Room Acoustics

Automatic compensation means to compensate the sound field, especially the transmission frequency characteristics, automatically according to the acoustic characteristics of the listening room.




(Construction of automatic compensation system for room acoustics)

First, output pink noise and pick it up by the microphone used for measurement to measure the average sound pressure level at all frequencies. During this time, connect the SEA unit with a flat setting between the pink noise generator and the power amplifier.

Next, measure the sound pressure level of each frequency band and compensate the frequency characteristic by raising the level for frequencies with a lower than average sound pressure level and lowering for frequencies with a higher level. Perform compensation to make the frequency characteristic flat by repeating the operation and performing fine correction.

This is an outline, more detail will be given in the operation section. Press the START button to set the automatic room acoustic compensation mode. In this case, output the pink noise from this unit through the speakers and measure the average sound pressure level at all frequency ranges (each frequency band) by picking up the pink noise by the microphone used for measurement (provided).

By this, the optimum level is shown by adjusting the microphone input level. If it is UNDER, raise the volume of the amplifier and if it is OVER, lower it. When the microphone input level is at optimum level, compensation for room acoustic has been completed.




Measure the average sound pressure value and find a band having a big absolute difference from the average value then compensate it by 1 step so that the absolute value of this band becomes smaller.

In this case, since other bands are influenced by compensating this band, make corresponding compensations for other bands. After this, repeat compensation until the sound pressure level in each frequency range is within the set range.

Sound pressure level compensation has three ranges; rough compensation (within ± 3 dB), medium compensation (within ± 1.5 dB) and fine compensation.

Since pink noise has a greater amplitude at lower frequencies, the Q of the band pass filter is set to be lower and the detection output voltage is stabilized by increasing the time constant.



(How to measure the sound pressure level at each frequency)


3-(2) ICs developed for SEA (LM835)

LM835 is a high-precision SEA LSI IC developed exclusively for this unit. 24-step graphic equalization is possible by dividing the frequency range into 14 bands (12 bands are used for this unit) which each have a ± 12 dB/ ± 6 dB gain range.

This is composed of the logic input section from the control CPU (data, strobe, clock) and signal path section consisting of high-precision SiCr (silicon chrome) resistors and low distortion analog switches.

Its function is the selection of gain by sending 8-bit serial data II after sending 8-bit serial data I and selecting the frequency.

| Pin. No. | Mnemonic | Operation |
|----------|------------------|--|
| ①, ⑲ | BOOST | SEA volume boost output terminal |
| ②, ③ | A in 2 A in 3 | Distortion cancel terminals |
| ④, ⑳ | CUT | SEA volume cut output terminals |
| ⑤-⑪ | LA1 - LA7 | SEA volume 16 Hz (LA1) - 500 Hz (LA7) terminals |
| ⑫ | V _{SS} | -8.2 V |
| ⑬ | DIG.GND | DIGITAL Ground |
| ⑭ | CLOCK | Clock input terminal for data input |
| ⑮ | STROBE | Strobe input terminal |
| ⑯ | DATA | Data input terminal |
| ⑰ | V _{DD} | +8.2 V |
| ⑱-㉔ | LB7 - LB1 | SEA IC/of 1 kHz (LB1) - 32 kHz (LB5) terminal |
| ㉖ | A in 6 | Input terminal of SEA amplifier output |
| ㉘ | ANALOG GND | ANALOG.GND |



3-(3) Pink Noise

This unit has a built-in pink noise generator which generates pink noise by passing white noise generated from the 23-bit digital noise generator (MM5437) through a 3 dB/oct L.P.F. (Low Pass Filter).

This generator prevents unnecessary noise from being generated by sending the control signal to MM5437 and stopping its operation.

3-(4) Membrane Switch PCB (ENC-006; Drawer section switch PCB)

This is click membrane switch PCB with 70 spacers and 70 metal diaphragms and patterns on both sides.


As this PCB has a delicate structure, take care the following points when handling it.

- (1) Do not push the diaphragms (6 mm dia. phosphor-bronze discs) with your fingers. (If it is pressed too far, its elasticity cannot be restored. If it is necessary to push them, push with a device with a sharp edge such as a ball pen).

- (2) Do not damage or tear off the film sheet. (It may become impossible to deplace.)
- (3) When replacing the IC or other parts, use one with the same size. (Since this unit is thin, it is impossible to install large replacement chips.)
- (4) Concerning switch contact defects on their own (when deformation of diaphragm cannot be restored, etc.), the replacement of only the switch is impossible. In this case, as replacing the PCB is needed, consult a JVC dealer.

3-(5) FL Circuit

This circuit uses a 4-bit microcomputer to show the spectrum analysis and SEA curve using a fluorescent display (FL). The data from the 8-bit control CPU is sent to the 4-bit microcomputer which sends the data of 12 bands/13 steps to the FL driver then the SEA curve is shown by the FL.



(Block diagram of microcomputer peripheral circuits)

3-(6) Drawer Motor Drive Circuit

The motor drive IC (IC007: BA6208) has the input/output characteristic shown in the table on the right.

The normal or reverse rotation of the motor is performed by the D flip-flop in IC004 (1/2 TC4013BP).

When the drawer is moved in or out, the excess current of the motor is detected at Q001 and when inputs to pins 2 and 3 of IC006 (μPD4081BC) from IC005 (1/2TC4013BP) are both 0, the motor is stopped. IC006 functions so that the motor does not operate even if the power switch is set to ON and S181 and IC005 detect if the drawer is in or out when the power switch is set to ON to set the direction the motor should move in next.


On the other hand, concerning the spectrum analysis, the signal having passed through the B.P.F. is passed through the demultiplexer then the 6-bit microcomputer acting as an A/D convertor. Then this data is input to the 4-bit microcomputer. After this, the spectrum analysis is shown by the FL like the SEA curve.

The arrow indication of the R-ch in the MIC mode is controlled by a 4-bit microcomputer. The level detection circuit of 10 frequency bands from 31.5 Hz to 16 kHz is in the L-ch FL circuit and the data is sent to the control CPU.

| Pin 3 input | Pin 2 input | Pin 8 input | Pin 7 input | Motor |
|-------------|-------------|-------------|-------------|------------------|
| 1 | 1 | L | L | Stop |
| 1 | 0 | H | L | Normal rotation |
| 0 | 1 | L | H | Reverse rotation |
| 0 | 0 | — | — | Stop |

4. Removal Procedures

Since this unit is assembled in a specified order, disassemble or reassemble it referring to the flow chart below. Concerning disassembling of other parts, refer to "Exploded View".



1. How to remove the top cover





Remove the screws (two screws of left and right side panels) on both sides and three screws on the rear panel of this unit.

2. How to remove the FL PCB

- (1) Remove eight screws ① - ⑧ holding the PCB.
- (2) Take out the FL PCB from the connector by lifting the back portions ① and ② of the PCB.

3. How to remove the CPU PCB

- (1) Take out three plastic rivets ⑨ - ⑪ holding the PCB.
- (2) Take out 3-pin connector and three flat cards.



4. How to remove the spring

- (1) Remove five screws ⑫ - ⑮ holding the bottom board.
- (2) Remove part ③ (bonded) to which the spring is hooked.

5. How to remove the gear lock screw

- (1) Turn the ⊖ minus screw of part ④ fully clockwise.
- (2) Draw the rack (rack & pinion) visible on part ⑤ towards you using a screwdriver.
- (3) The engagement of the rack and pinion will separate and the loading section will move freely.

6. How to remove the stopper

- (1) Remove the screws (each one on left and right) ⑰ from holes on both sides by holding the loading section pressed in.
- (2) Take out the stopper (ㄣ bracket).


7. How to remove the loading section

- (1) Unsolder the ground wire (black) of the motor (Unsolder section ⑥)
- (2) Take out three flat cards.
- (3) Take out the loading section towards you (until it stops).
- (4) Take it out by lifting it up slightly.

8. How to remove the push knobs

- (1) Remove four screws ⑱ - ㉑.
- (2) Slide the escutcheons ⑥ and ⑦ on both edges outwards.
- (3) The push knobs are separated into 2 blocks at center part ⑧.
- (4) Push up the lower edge of each knob and pull it towards you.
- (5) Take out the right block (or left block) by pulling towards you.


Note: Take care to lose the flat washer provided with each knob because they come off easily.



9. How to remove the membrane PCB

- (1) Remove nine screws 22 – 30 holding the cover.
- (2) Take out 3-pin connector.
- (3) Remove ten screws 31 – 40 holding the PCB.
Screws 31 – 35 are special screws, 36 is a plastic rivet, screw 40 is provided with a flat washer and screw 38 is a flat head screw.

Note: When installing the PCB, insert the LED into the felt spacer (to prevent leakage of light).

**10. How to remove the spring**

Refer to item 4.

11. How to remove the gear lock screw


Refer to item 5.

12. How to remove the push knobs


Refer to item 8.

13. How to remove the front panel

- (1) Remove three screws 41 – 43 holding the upper portion of the panel.
- (2) Remove six screws 44 – 49 holding the lower portion of the panel.
- (3) Take out the whole panel towards you.

**14. How to install the stopper**


- (1) Hook the spring. (By this, the tension is always applied but it is possible to take it out freely by hand.)
- (2) Insert the stopper into the hole in the side rail and fix the screw (refer to item 6).
- (3) When fixing the stopper, there is a slight play (for installation position). After installation, operate the loading section and make sure that there is no movement to the left and right just before it stops.

**15. How to install the loading section**

- (1) Draw ball bearing sections K (three on both left and right) fully towards you.
- (2) Insert the loading section about 5 cm by putting both ends in the bearing section.
- (3) Push the loading section in by pulling the left and right bearing sections towards you using both hands.


Note: If it is forced in without pressing the bearing section down, the inner most ball will fall out. Make sure to push in the loading section drawing the bearing section towards you.

When three flat cards and the black wire of the motor are connected, the loading section will open and close.




Loading section (when it is taken out to the stopper position).

5. Exploded View



5. Exploded view

■ Loading Section



This scanned document has been automatically distributed freely. If you were charged for its download, please contact the author's permission.

6. Adjustment Procedures

6-(1) Distortion Adjustment (20 kHz)

- **Adjustment instrument**


Philips screwdriver

- **Adjustment**

Adjust R417 (Lch) and R418 (Rch) so that the distortion at LINE OUT is minimum by inputting a 20 kHz, Vin2V signal to LINE IN.


The distortion should be less than 0.003 % (typ. approx. 0.002 %).

- **Principle**



- **Three terminal regulator**

The stable fixed output voltage can be obtained from the non-stabilized DC input voltage without using externally connected parts. An overcurrent limiting circuit and overheating protection circuit are built in.



6-(2) FL Illumination Adjustment



- **Adjustment instrument**

Philips screwdriver

- **Adjustment**

- (1) Set the FL indication to the spectrum analysis mode and input pink noise, etc.
- (2) Turn R806 and R807 fully clockwise. (To make the display brightest)
- (3) Check the brightness of L-ch and R-ch FL displays then adjust the brighter ch brightness to be the same as the darker one.

- **Principle**



6-(3) Display Level Adjustment


- **Adjusting instrument**

Ordinary screwdriver (small)


- **Adjustment**

- (1) Set the L and R pink noise generators to ON and the SEA to FLAT then adjust the DISPLAY LEVEL UP-DOWN buttons so that the pink noise level is set to about -10 - -6 dB.
- (2) Adjust R569 of ENF-005-1 so that the MAX LED lights at a level higher than this point.
- (3) It is possible to adjust R569 after removing R-ch of FL PCB.
- (4) After adjustment, make sure that the MAX LED goes off by lowering the level by one step by pressing the DOWN button.

- **Principle**





DCO: Changes the 13-step D/A output power to confirm the LSI IC position up to 0 V - 3.5 V max, in stages.




7. Troubleshooting

7-(1) General Operations









Reference

| | |
|----------------------------|-----------|
| CPU vertical PCB | ENF-005-2 |
| CPU oblique PCB | ENF-005-1 |
| FL PCB | ENB-004 |
| SW PCB | ENC-003 |
| Power supply PCB | END-009 |
| SEA PCB | ENE-008 |


7-(2) Drawer



7-(3) 8-bit Microcomputer Peripheral Check



7-(4) Checking the Power Supply



MEMIO

ision.

This scanned document is not for sale. It may only be distributed if you were charged for its download, it has been stolen, and sold without the author's permission.
Demand a refund.

JVC

VICTOR COMPANY OF JAPAN, LIMITED
STEREO DIVISION, YAMATO PLANT, 1644, SHIMOTSURUMA, YAMATO-SHI, KANAGAWA-KEN, 242, JAPAN